



INTERNATIONAL ATOMIC ENERGY AGENCY

# NUCLEAR DATA SERVICES

DOCUMENTATION SERIES OF THE IAEA NUCLEAR DATA SECTION

---

**IAEA-NDS-199**

Rev. 1, Mar 2002

## THE FOND-2.2 EVALUATED NEUTRON DATA LIBRARY

(Russian library of evaluated neutron data files for generating sets of constants in the ABBN constants system)

*V.N. Koscheev, M.N. Nikolaev, A.M. Tsiboulia, G.V. Savoskina  
Russian Federation National Research Centre - Institute for Physics and  
Power Engineering (IPPE), Obninsk*

**Abstract:** A short description is given of the Russian evaluated neutron data library FOND-2.2. The main purpose of FOND-2.2 is to provide sets of constants for the ABBN constants system. A history of its compilation and the sources of the neutron data are given. The contents of FOND-2.2 are presented with brief comments.

The 1999 release of FOND-2.2 Library is available online from IAEA Nuclear Data Section Web server (<http://www-nds.iaea.org/reports/nds-199r1.pdf>) through hyperlinks to data in this report or on CD-ROM on the request.

Prepared for Web by V.G. Pronyaev  
Nuclear Data Section, IAEA

**For Web access to data, please click on FOND-2.2 DATA**

---

Nuclear Data Section  
International Atomic Energy Agency  
P.O. Box 100  
A-1400 Vienna  
Austria

e-mail: [services@iaeand.iaea.org](mailto:services@iaeand.iaea.org)  
fax: (43-1) 26007  
cable: INATOM VIENNA  
telex: 1-12645  
telephone: (43-1) 2600-21710

---

Online: TELNET or FTP: [iaeand.iaea.org](http://iaeand.iaea.org)  
username: IAEANDS for interactive Nuclear Data Information System  
usernames: ANONYMOUS for FTP file transfer;  
FENDL2 for FTP file transfer of FENDL-2.0;  
RIPL for FTP file transfer of RIPL;  
NDSOINL for FTP access to files sent to NDIS "open" area.

Web: <http://www-nds.iaea.org>

---

**Note:**

The IAEA-NDS-reports should not be considered as formal publications. When a nuclear data library is sent out by the IAEA Nuclear Data Section, it will be accompanied by an IAEA-NDS-report which should give the data user all necessary documentation on contents, format and origin of the data library.

IAEA-NDS-reports are updated whenever there is additional information of relevance to the users of the data library.

For citations care should be taken that credit is given to the author of the data library and/or to the data center which issued the data library. The editor of the IAEA-NDS-report is usually not the author of the data library.

Neither the originator of the data libraries nor the IAEA assume any liability for their correctness or for any damages resulting from their use.

96/11

**Citation guidelines:**

a) *citing the entire library*

V.N. Koscheev, M.N. Nikolaev, Zh.A. Korchagina, G.V. Savoskina "The FOND-2.2 Evaluated Neutron Data Library (Russian library of evaluated neutron data files for generating sets of constants in the ABBN constants system)", *Voprosy Atomnoj Nauki i Tekhniki, seriya Yadernye Konstanty, vypusk 2000-2* (2000) pp. 40 - 70.  
English translation: V.N. Koscheev, M.N. Nikolaev, Zh.A. Korchagina, G.V. Savoskina "The FOND-2.2 Evaluated Neutron Data Library (Russian library of evaluated neutron data files for generating sets of constants in the ABBN constants system)", Report INDC(CCP)-429 (2001) pp. 57 - 93

b) *citing the format*

V. McLane, P.F. Rose, C.L. Dunford (ed.), "Data formats and procedures for the Evaluated Nuclear Data File ENDF-6", report BNL-NCS-44945 (ENDF-102) Rev 2/97 (Brookhaven National Laboratory 1997).

## **THE FOND-2.2 EVALUATED NEUTRON DATA LIBRARY**

(Russian library of evaluated neutron data files for generating sets of constants in the ABBN constants system)

*V.N. Koscheev, M.N. Nikolaev, A.M. Tsiboulia, G.V. Savoskina  
Russian Federation National Research Centre - Institute for Physics and  
Power Engineering (IPPE), Obninsk*

THE FOND-2.2 EVALUATED NEUTRON DATA LIBRARY. A short description is given of the Russian evaluated neutron data library FOND-2.2. The main purpose of FOND-2.2 is to provide sets of constants for the ABBN constants system. A history of its compilation and the sources of the neutron data are given. The contents of FOND-2.2 are presented with brief comments.

The FOND library contains evaluated neutron data files for a large number of nuclides. The library's main purpose is to provide the sets of neutron data needed to create libraries of group constants for the ABBN constants system [1]. The library was created in the ABBN constants laboratory of the A.I. Leipunsky Institute for Physics and Power Engineering. The new version of the ABBN-93 group constants system, which was created using the FOND library, is used widely in a number of applications:

- calculations for nuclear physics facilities with different spectral characteristics;
- radiation shielding calculations;
- nuclear safety problems, etc.

### **History**

**1970** - During the development of the SOKRATOR system [2], work began on the compilation of library evaluated neutron data in machine format for the main reactor material  $^{238}\text{U}$  and a number of other nuclides.

**1984** - The compilation of the first version of the FOND library, which formed part of the SOKRATOR system for providing group constants for nuclear reactor calculations, was completed. Initially, the library contained evaluated neutron data for the 67 nuclides of most importance for fast reactor calculations [3]. The library was the principal (but not the only) neutron data source used in creating the ABBN-78 group constants library [4].

**1988** - During the development of the new ABBN-90 constants system [5], the first fairly complete version of the evaluated neutron data library FOND-1 was compiled; it contained neutron data for 121 nuclides [6]. The library included neutron data for the main fuel materials, shielding materials, moderators, fission products and minor actinides.

**1993** - As part of the process of verifying the ABBN-90 constants system by comparing the results of calculations with the results obtained in critical assemblies and the BN-350 power reactor, a review was carried out of neutron data in the FOND library for a number of basic fuel nuclides and structural materials. In particular, the ENDF/B-VI (Rev.2) evaluation was adopted for  $^{235}\text{U}$  and the JENDL-3 library evaluation - modified in the low-energy region - for  $^{239}\text{Pu}$ , the neutron data for Ni, Na, Pb, O, N and C were reviewed and evaluations for new materials were added to the library which then contained evaluated neutron data for 268 nuclides [7]. This version was named FOND-2.

**1996** - Version FOND-2.1a was produced. It included evaluated neutron data for 52 minor actinides; these data were selected while the actinide library was being created in the ABBN-93 constants system [8] following analysis of a series of international tests [9] and taking into account available experimental data [10].

**1998** - Version FOND-2.1b was produced. It included evaluated neutron data for 172 fission product nuclides selected while the fission product library was being created in the ABBN-93.1 constants system and verified in the SWG-17 international test [11].

**1999** - Version FOND-2.2 was produced and finalized which forms the basis of the modern ABBN-93.2 group constants system and contains the earlier data for the main reactor materials and improved data for fission products and minor actinides. The FOND-2.2 library contains evaluated neutron data for 679 nuclides.

### **Neutron data sources**

Traditionally, the main source of neutron data for the FOND library has been the BROND national evaluated neutron data library [6, 7] compiled in the Russian Nuclear Data Centre with the participation of specialists from the ABBN constants laboratory. In the first phase, evaluated neutron data from the foreign ENDF/B, JENDL, JEF and EAF libraries, and later from the Russian ADL library, were used when gaps existed in the BROND library.

At that stage, nuclear data were selected from foreign libraries by means of a comparative analysis of their simplest integral characteristics, such as:

- reaction cross-sections at the thermal point ( $E = 0.0253$  eV);
- resonance integrals;
- cross-sections averaged over known standard spectra, etc.

In the second phase, when selecting neutron data for some of the main reactor nuclides, the results of calculation-based studies of experiments performed in a number of critical assemblies and operational reactors were taken into account. The calculations employed different sets of group constants obtained using several of the neutron data files being studied.

For later versions of the FOND library, emphasis was placed on the up-to-dateness and completeness of the experimental data used for the evaluation when selecting evaluated neutron data, and compliance with the requirement for congruence with the results of integral experiments.

### Data presentation format

As a component of the SOKRATOR system, the FOND library was at first produced in the specially developed SOKRATOR format [12], which is similar to the UKNDL format [13]. Subsequently, as the FOND library developed, the following ENDF formats were used to store the evaluated neutron data [14]:

- ENDF-IV format (for the first version FOND-1);
- ENDF-V format (for FOND-2);
- ENDF-VI format (for FOND-2.1 and FOND-2.2).

The only difference from the ENDF-IV format is the rule for generation of the material identifier MAT.

MAT is a four-digit identifier of the type ZZAA. As is the case in the ENDF format, the highest-order digits ZZ contain the atomic number **Z**. The two lowest-order digits AA, **as a rule**, contain the two lowest-order digits of the mass number of the nuclide **A**. For natural mixtures, the latter are zeros. For example: for  $^{235}\text{U}$ , MAT = 9235; for  $^3\text{He}$ , MAT = 0203; and for  $^{\text{nat}}\text{Pb}$ , MAT = 8200.

The exceptions are as follows:

- a) for  $^{100}\text{Mo}$ , MAT = 4210; for  $^{100}\text{Ru}$ , MAT = 4410; for  $^{200}\text{Hg}$ , MAT = 8020, etc.;
- b) when generating the last two digits of the MAT identifier for first isomers, the mass number is decreased by 30, and for second isomers it is decreased by 40. Thus: for  $^{242\text{m}}\text{Am}$ , MAT = 9512; and for  $^{178\text{n}}\text{Hf}$ , MAT = 7238, etc.

### Use of computer programs

The neutron data from the FOND library can be processed by any computer program which processes data in ENDF format.

The following programs are usually used:

- The Utility Codes program package [15] is traditionally used to verify the consistency of the data from the point of view of the format and the physics involved. Different versions of this program package have been used as the FOND library has developed;
- The GRUKON application package [16] and the NJOY94 neutron data processing system [17] have traditionally been used to process the evaluated neutron data into the required sets of group constants;
- The ENDF/B Pre-Processing Codes program package may also be used to process neutron data [18], but the authors have only limited practical experience of its use.

### **Structure of the library**

The library consists of four sections:

neutron data for light elements,  
structural materials;  
intermediate nuclei  
and data for actinides.

The neutron data can be classified into data for main and secondary materials. For main materials, all the neutron data required for neutron field calculations are given. These are the general purpose (GP) files. For secondary materials, often only the data on neutron reactions which bring about a change in the material's composition are given. These are the activation and transmutation data (ACT, MA or FP). The latter type are used to calculate activation of reactor configurations, the nuclide composition of nuclear fuel after its removal from the reactor, cooling, chemical processing, recycling, disposal, etc.

### **Composition of the neutron data files**

The files contain different types of neutron data. The full range is not given for all nuclides. Generally, the files contain the following:

data on neutron transport	(MF = 2, 3, 4, 5);
energy-angle data	(MF = 6);
decay data	(MF = 8, 9, 10);
data on photon production	(MF = 12, 13, 14, 15);
data on errors and their covariances	(MF = 32, 33 etc.).

It should be noted that the decay data file (MF = 8) is always minimal in size, i.e. it gives the radionuclides which form as a result of neutron reactions but not the radiation characteristics of those radionuclides. MF = 8 files are given only for materials for which there are also MF = 9 or MF = 10 files.

## Contents of the library

A list of the nuclides for which the FOND-2.2 library contains data is given in the table. Some explanations of the table are given below.

**NUCLIDE** - The symbols of natural nuclides are shown in bold.

For radioactive isotopes, the half-life is given and the following symbols are used:

y - years; d - days; h - hours; m - minutes, in accordance with the nuclide chart in [19].

**SOURCE** - Original evaluation from which neutron data were taken for FOND-2.2;

**EVAL/REV** - Date of neutron data evaluation/date when data revised;

**STATUS** - Recommended area of application:

<b>GP</b>	general-purpose neutron data;
<b>ACT</b>	neutron data for use in calculating activation;
<b>FP</b>	neutron data for fission products;
<b>MA</b>	neutron data for minor actinides.

**COMPOSITION OF DATA:**

<b>NT</b>	main data required for neutron transport calculations;
<b>DDD</b>	energy-angle data;
<b>DD</b>	decay data;
<b>GAM</b>	data on photon production;
<b>COV</b>	data on errors in cross-sections or the parameters describing them, and on the covariances of these errors.

## Contents of the FOND-2.2 library

### LIGHT ELEMENTS

No.	Nuclide	Source	EVAL/REV	Status	Composition of data and brief comments
1	<b>1-H-1</b>	ENDF/B-6 Rev. 1	Oct89/Jul91	GP	NT, GAM <b>Total cross-section below 20 MeV was used as a standard.</b> NT, DD, GAM
2	<b>1-H-2</b>	ENDF/B-6 Rev. 2	Nov67/Nov96	GP	
3	<i>1-H-3</i> <i>12.323 y</i>	BROND-2	Dec 88/	GP	
4	<b>2-He-nat</b>	FOND-2	Jan76/Jan92	GP	NT NT, DDD, DD <b>Cross-section for (n,p) reaction up to 50 keV was used as a standard.</b> NT
5	<b>2-He-3</b>	BROND-2	Dec 88/	GP	
6	<b>2-He-4</b>	BROND-2	Jan76/Jan92	GP	
7	<b>3-Li-6</b>	BROND-2	Jan76/Jan92	GP	NT, DDD, COV <b>Cross-section for (n, t) reaction up to 1 MeV was used as a standard.</b> NT, DD, GAM
8	<b>3-Li-7</b>	BROND-2	May84/Feb92	GP ACT	
9	<b>4-Be-9</b>	ENDF/B-6	Jan86/	GP	NT, DD, GAM  Only sets of cross-sections given.
10	<i>4-Be-10</i> <i>1.6×10<sup>6</sup> y</i>	EAF-3	Jul92/	ACT ACT	
11	<b>5-B-10</b>	ENDF/B-6 Rev. 1	Oct89/Jul91	GP ACT	NT, GAM <b>Cross-sections for (n,α) and (n,α1) reactions was used as standards.</b> NT, DD, GAM
12	<b>5-B-11</b>	ENDF/B-6	May89/	GP ACT	
13	<b>6-C-nat</b>	ENDF/B-6 Rev. 1	Aug89/Jul91	GP	NT, GAM, COV <b>Elastic scattering cross-section up to 2 MeV was used as a standard.</b> Only sets of cross-sections given. Only sets of cross-sections given. Only sets of cross-sections given.
14	<b>6-C-12</b>	EAF-3	Jul92/	ACT	
15	<b>6-C-13</b>	EAF-3	Jul92/	ACT	
16	<i>6-C-14</i> <i>5.730 y</i>	EAF-3	Jul92/	ACT	
17	<b>7-N-14</b>	ENDF/B-6 Rev. 2	May90/Aug94	GP	NT, GAM .
18	<b>7-N-15</b>	ENDF/B-6	Sep83/	GP	NT, GAM
19	<b>8-O-16</b>	ENDF/B-6	Jun90/	GP	NT, GAM NT, DD, GAM, COV Only sets of cross-sections given.
20	<b>8-O-17</b>	ENDF/B-6	Jan78/	GP	
21	<b>8-O-18</b>	EAF-3	Jul92/	ACT	
22	<b>9-F-19</b>	ENDF/B-6	Jun90/	GP	NT, DD, GAM, COV
23	<b>10-Ne-20</b>	EAF-3	Jul92/	GP	Only sets of cross-sections given.
24	<b>10-Ne-21</b>	EAF-3	Jul92/	GP	Only sets of cross-sections given.
25	<b>10-Ne-22</b>	EAF-3	Jul92/	GP	Only sets of cross-sections given.
26	<i>11-Na-22</i> <i>2.603 y</i>	EAF-3	Jul92/	GP	Only sets of cross-sections given.
27	<b>11-Na-23</b>	ENDF/B-6 Rev. 1	Dec77/Jul91	GP	NT, DD, GAM
28	<b>12-Mg-nat</b>	JENDL-3.2	Mar87/Nov93	GP	NT, GAM
29	<b>12-Mg-24</b>	JENDL-3.2	Mar87/Apr93	GP	NT

No.	Nuclide	Source	EVAL/REV	Status	Composition of data and brief comments
30	12-Mg-25	JENDL-3.2	Mar87/	GP	NT
31	12-Mg-26	JENDL-3.2	Mar87/	GP	NT
32	13-Al-26 7.16×2.603 y	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
33	13-Al-27	ENDF/B-6 Rev. 1	Sep94/Aug96	GP ACT	NT, GAM <b>Cross-section for (n,α) reaction was used as a standard.</b>
34	14-Si-nat	BROND-2	May85/	GP	NT, GAM
35	14-Si-28	ENDF/B-6	May96/	GP	NT, DD, GAM
36	14-Si-29	ENDF/B-6	May96/	GP	NT, DD, GAM
37	14-Si-30	ENDF/B-6	May96/	GP	NT, DD, GAM
38	14-Si-31 2.62 h	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
39	14-Si-32 172 y	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
40	15-P-31	BROND-2	May89/Dec90	GP ACT	NT, GAM Modification of ENDL-84 evaluation
41	15-P-32 14.26 d	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
42	15-P-33 25.34 d	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
43	16-S-nat	ENDF/B-6	Apr79	GP	NT, GAM
44	16-S-32	JENDL-3.2	May87/Feb94	GP	NT
45	16-S-33	JENDL-3.2	May87/Feb94	GP	NT
46	16-S-34	JENDL-3.2	May87/Feb94	GP	NT
47	16-S-35 87.5 d	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
48	16-S-36	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
49	17-Cl-nat	BROND-2	Feb90/	GP	NT, GAM Modification of ENDF/B-4 evaluation
50	17-Cl-35	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
51	17-Cl-36 3.0×10 <sup>5</sup> y	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
52	17-Cl-37	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
53	18-Ar-nat	ENDL-84	Oct83/	GP	NT, GAM
54	18-Ar-36	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
55	18-Ar-37 35.0 d	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
56	18-Ar-38	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
57	18-Ar-39 269 y	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
58	18-Ar-40	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
59	18-Ar-41 1.83 h	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
60	18-Ar-42 33 y	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
61	19-K-nat	JENDL-3.0	May87/Jan93	GP	NT
62	19-K-39	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
63	19-K-40 1.28×10 <sup>9</sup> y	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
64	19-K-41	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
65	19-K-42 12.36 h	EAF-3	Jul92/	ACT	Only sets of cross-sections given.

No.	Nuclide	Source	EVAL/REV	Status	Composition of data and brief comments
66	<i>19-K-43</i> <i>22.2 h</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>67</b>	<b>20-Ca-nat</b>	FOND-2	Jan78/Dec90	GP	NT, GAM Modification of ENDL-78 evaluation.
<b>68</b>	<b>20-Ca-40</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
69	<i>20-Ca-41</i> <i>1.03×10<sup>5</sup> y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>70</b>	<b>20-Ca-42</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>71</b>	<b>20-Ca-43</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>72</b>	<b>20-Ca-44</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
73	<i>20-Ca-45</i> <i>163 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>74</b>	<b>20-Ca-46</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
75	<i>20-Ca-47</i> <i>4.54 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>76</b>	<b>20-Ca-48</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
77	<i>21-Sc-44m</i> <i>2.44 d</i>	ADL-3	Jan94/	ACT	Only sets of cross-sections given.
<b>78</b>	<b>21-Sc-45</b>	JENDL-3.0	Feb82/Nov83	GP ACT	NT
79	<i>21-Sc-46</i> <i>83.82 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
80	<i>21-Sc-47</i> <i>3.35 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
81	<i>21-Sc-48</i> <i>43.67 h</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.

## STRUCTURAL MATERIALS

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
1	<b>22-Ti-nat</b>	FOND-2	Jun77/Dec90	GP	NT, GAM
2	<i>22-Ti-44</i> <i>47.3 y</i>	EAF-3	Jul92/	ACT	Modification of ENDL-78 evaluation. Only sets of cross-sections given.
3	<i>22-Ti-45</i> <i>3.08 h</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
4	<i>23-V-48</i> <i>15.97 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
5	<i>23-V-49</i> <i>330 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
6	<b>23-V-50</b> <b>1.4×10<sup>17</sup> y</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
7	<b>23-V-51</b>	FOND-2	May77/Dec90	GP	NT, GAM Modification of ENDL-78 evaluation.
8	<b>24-Cr-nat</b>	BROND-2	Apr84/Oct89	GP	NG, GAM
9	<b>24-Cr-50</b>	BROND-2	Apr85/Mar92	GP	NT, DD
10	<i>24-Cr-51</i> <i>27.70 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
11	<b>24-Cr-52</b>	BROND-2	Apr85/Mar92	GP	NT, DD
12	<b>24-Cr-53</b>	BROND-2	May88/Mar92	GP	NT, DD
13	<b>24-Cr-54</b>	BROND-2	May85/Mar92	GP	NT, DD
14	<i>25-Mn-52</i> <i>5.6 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
15	<i>25-Mn-53</i> <i>3.7×10<sup>6</sup> y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
16	<i>25-Mn-54</i> <i>312.2 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
17	<b>25-Mn-55</b>	JENDL-3	Mar87/Mar88	GP ACT	NT, GAM, COV
18	<b>26-Fe-nat</b>	BROND-2	Nov85/Mar90	GP	NT, DDD, GAM
19	<b>26-Fe-54</b>	BROND-2	Nov85/Nov90	GP	NT
20	<i>26-Fe-55</i> <i>2.73 y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
21	<b>26-Fe-56</b>	BROND-2	Nov85/Nov90	GP	NT
22	<b>26-Fe-57</b>	BROND-2	Nov85/Oct89	GP	NT
23	<b>26-Fe-58</b>	BROND-2	Nov85/Nov90	GP	NT
24	<i>26-Fe-59</i> <i>44.503 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
25	<i>26-Fe-60</i> <i>1.5×10<sup>6</sup> y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
26	<i>27-Co-56</i> <i>77.26 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
27	<i>27-Co-57</i> <i>271.79 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
28	<i>27-Co-58</i> <i>70.86 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
29	<b>27-Co-59</b>	FOND-2	Nov82/Jan84	GP	NT Modification of JENDL-2 evaluation. <b>Cross-section for (n, 2n) reaction was used as a standard.</b>
30	<i>27-Co-60</i> <i>5.272 y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
31	<i>28-Ni-56</i> <i>6.075 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
32	<i>28-Ni-57</i> <i>36.0 h</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
33	<b>28-Ni-58</b>	ENDF/B-6 Rev. 1	Oct89/Jul91	GP, ACT	NT, DDD, GAM, COV
34	<i>28-Ni-59</i> <i>7.5×10<sup>4</sup> y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
35	<b>28-Ni-60</b>	ENDF/B-6 Rev. 1	Oct89/Jul91	GP, ACT	NT, DDD, GAM, COV
36	<b>28-Ni-61</b>	ENDF/B-6	Feb89/	GP, ACT	NT, DDD, GAM, COV
37	<b>28-Ni-62</b>	ENDF/B-6 Rev. 1	Oct89/Jul91	GP, ACT	NT, DDD, GAM, COV
38	<i>28-Ni-63</i> <i>100 y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
39	<b>28-Ni-64</b>	ENDF/B-6 Rev. 1	Oct89/Jul91	GP, ACT	NT, DDD, GAM, COV
40	<i>28-Ni-65</i> <i>2.52 h</i>	ADL-3	Jan94/	ACT	Only sets of cross-sections given.
41	<i>28-Ni-66</i> <i>54.6 h</i>	ADL-3	Jan94/	ACT	Only sets of cross-sections given.
42	<b>29-Cu-63</b>	ENDF/B-6	Nov89/	GP, ACT	NT, DDD, GAM, COV
43	<b>29-Cu-65</b>	ENDF/B-6	Nov89/	GP, ACT	NT, DDD, GAM, COV
44	<i>29-Cu-66</i> <i>5.1 m</i>	ADL-3	Jun94/	ACT	Only sets of cross-sections given.
45	<i>29-Cu-67</i> <i>61.9 h</i>	ADL-3	Jun94/	ACT	Only sets of cross-sections given.
46	<b>30-Zn-nat</b>	BROND-2	Dec89/Oct91	GP	NT, GAM
47	<b>30-Zn-64</b>	BROND-2	Dec89/Mar92	GP	NT, DD
48	<i>30-Zn-65</i> <i>244.3 d</i>	ADL-3	Jan94/	ACT	Only sets of cross-sections given.
49	<b>30-Zn-66</b>	BROND-2	Dec89/	GP	NT, DD
50	<b>30-Zn-67</b>	BROND-2	Dec89/Feb92	GP	NT, DD
51	<b>30-Zn-68</b>	BROND-2	Dec89/Feb92	GP	NT, DD
52	<b>30-Zn-70</b>	BROND-2	Dec89/Feb92	GP	NT, DD
53	<i>30-Zn-71m</i> <i>3.9 h</i>	ADL-3	Jan94/	ACT	Only sets of cross-sections given.
54	<i>30-Zn-72</i> <i>46.5 h</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.

ELEMENTS IN INTERMEDIATE GROUP

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
<b>1</b>	<b>31-Ga-nat</b>	FOND-2	Sep72/Dec90	GP	NT, GAM Modification of ENDL-72 evaluation.
<b>2</b>	<b>31-Ga-69</b>	JENDL-3.2	Mar94/	GP	NT
<b>3</b>	<b>31-Ga-71</b>	JENDL-3.2	Mar94/	GP	NT
<b>4</b>	<b>32-Ge-nat</b>	JENDL-3.2	Mar94/	GP	NT
5	<i>32-Ge-68</i> <i>270.82 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
6	<i>32-Ge-69</i> <i>39.0 h</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>7</b>	<b>32-Ge-70</b>	JENDL-3.2	Mar94/	FP	NT
8	<i>32-Ge-71</i> <i>11.43 d</i>	EAF-3	Jul92/Nov96	FP	MF=10 data added for MT=106.
<b>9</b>	<b>32-Ge-72</b>	JENDL-3.2	Mar94/	FP	NT
<b>10</b>	<b>32-Ge-73</b>	JENDL-3.2	Mar94/	FP	NT
<b>11</b>	<b>32-Ge-74</b>	JENDL-3.2	Mar94/	FP	NT
<b>12</b>	<b>32-Ge-76</b> <b><math>1.53 \times 10^{21}</math> y</b>	JENDL-3.2	Mar94/Jul99	FP	NT Threshold reaction cross-sections reviewed.
13	<i>33-As-71</i> <i>65.28 h</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
14	<i>33-As-72</i> <i>26.0 h</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
15	<i>33-As-73</i> <i>80.3 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
16	<i>33-As-74</i> <i>17.77 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
<b>17</b>	<b>33-As-75</b>	JENDL-3.2	Mar90/Feb94/Ju 199	GP	NT Threshold reaction cross-sections reviewed.
18	<i>33-As-76</i> <i>26.4 h</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
19	<i>33-As-77</i> <i>38.8 h</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
20	<i>34-Se-72</i> <i>8.5 d</i>	EAF-3	Jul92/Nov96	FP	MF=10 data added for MT=106.
21	<i>34-Se-73</i> <i>7.1 h</i>	EAF-3	Jul92/Nov96	FP	MF=10 data added for MT=104.
<b>22</b>	<b>34-Se-74</b>	JENDL-3.2	Mar90/Nov96	FP	NT
23	<i>34-Se-75</i> <i>119.64d</i>	EAF-3	Jul92/Nov96	FP	MF=9 data added for MT=16. Neutron data represented only by reaction cross-sections. MF=10 data added for MT=106.
<b>24</b>	<b>34-Se-76</b>	JENDL-3.2	Mar90/	FP	NT
<b>25</b>	<b>34-Se-77</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>26</b>	<b>34-Se-78</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
27	<i>34-Se-79</i> <i><math>6. \times 10^4</math> y</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>28</b>	<b>34-Se-80</b>	JENDL-3.2	Mar93/Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>29</b>	<b>34-Se-82</b> <b><math>1.08 \times 10^{20}</math> y</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
30	<i>35-Br-77</i> <i>57.0 h</i>	ADL-3	Jan94/	FP	Only sets of cross-sections given.
<b>31</b>	<b>35-Br-79</b>	JENDL-3.2	Mar90/Mar93	FP	NT

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
32	<b>35-Br-81</b>	JENDL-3.2	Mar93/Jul99	FP	NT
33	<i>35-Br-82</i> <i>35.34 h</i>	ADL-3	Jan94/Jul99	FP	Threshold reaction cross-sections reviewed. Only sets of cross-sections given. Threshold reaction cross-sections reviewed.
34	<b>36-Kr-78</b>	JENDL-3.2	Mar90/	FP	NT
35	<i>36-Kr-79</i> <i>34.9 h</i>	ADL-3	Jan94/	FP	Only sets of cross-sections given.
36	<b>36-Kr-80</b>	JENDL-3.2	Mar90/Nov96	FP	NT
37	<i>36-Kr-81</i> <i>2.3×10<sup>5</sup> y</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added. Only sets of cross-sections given. DD data added.
38	<b>36-Kr-82</b>	JENDL-3.2	Mar90/Jul99	FP	NT
39	<b>36-Kr-83</b>	JENDL-3.2	Mar90/Jul99	FP	Threshold reaction cross-sections reviewed. NT
40	<b>36-Kr-84</b>	JENDL-3.2	Mar90/Jul99	FP	Threshold reaction cross-sections reviewed. NT
41	<i>36-Kr-85</i> <i>10.76 y</i>	JENDL-3.2	Mar90/Jul99	FP	Threshold reaction cross-sections reviewed. NT
42	<b>36-Kr-86</b>	JENDL-3.2	Mar90/Jul99	FP	Threshold reaction cross-sections reviewed. NT
43	<i>37-Rb-83</i> <i>86.2 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
44	<i>37-Rb-84</i> <i>32.8 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
45	<b>37-Rb-85</b>	JENDL-3.2	Mar90/Jul99	FP	NT
46	<i>37-Rb-86</i> <i>18.7 d</i>	JEF-2	Jul82/Jul99	FP	Threshold reaction cross-sections reviewed. NT
47	<b>37-Rb-87</b>	JENDL-3.2	Mar90/Jul99	FP	Modification of ENDF/B-5FP evaluation. Threshold reaction cross-sections reviewed. NT
48	<i>38-Sr-82</i> <i>25.34 d</i>	EAF-3	Jul92/Nov96	FP	Threshold reaction cross-sections reviewed.
49	<i>38-Sr-83</i> <i>32.4 h</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
50	<b>38-Sr-84</b>	ENDF/B-5	Feb80/	FP	NT
51	<i>38-Sr-85</i> <i>64.9 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added. Threshold reaction cross-sections reviewed.
52	<b>38-Sr-86</b>	JENDL-3.2	Mar90/Jul99	FP	NT
53	<b>38-Sr-87</b>	JENDL-3.2	Mar90/	FP	Threshold reaction cross-sections reviewed. NT
54	<b>38-Sr-88</b>	JENDL-3.2	Mar90/Jul99	FP	NT
55	<i>38-Sr-89</i> <i>50.5 d</i>	JENDL-3.2	Mar90/Jul99	FP	Threshold reaction cross-sections reviewed. NT
56	<i>38-Sr-90</i> <i>28.64 y</i>	JENDL-3.2	Mar90/Jul99	FP	Threshold reaction cross-sections reviewed. NT
57	<i>39-Y-87</i> <i>80.3 h</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
58	<i>39-Y-88</i> <i>106.6 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
59	<b>39-Y-89</b>	JENDL-3.2	Nov93/Jul99	GP	NT, GAM Threshold reaction cross-sections reviewed.

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
60	39-Y-90 64.1 h	JEF-2	Jul82/Jul99	FP	NT Modification of ENDF/B-5FP evaluation. Threshold reaction cross-sections reviewed.
61	39-Y-91 58.5 d	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
62	<b>40-Zr-nat</b>	BROND-2	Dec88/Sep98	GP	NT, GAM Upper limit of unresolved resonance region changed for Zr-90 to 200 keV. Only sets of cross-sections given.
63	40-Zr-88 83.4 d	EAF-3	Jul92/	FP	Only sets of cross-sections given.
64	40-Zr-89 78.4 h	EAF-3	Jul92/	FP	Only sets of cross-sections given.
65	<b>40-Zr-90</b>	JENDL-3.2	Aug89/Jul99	FP	NT Threshold reaction cross-sections reviewed.
66	<b>40-Zr-91</b>	BROND-2	Dec88/Jul99	FP	NT Threshold reaction cross-sections reviewed.
67	<b>40-Zr-92</b>	JENDL-3.2	Aug89/Jul99	FP	NT Threshold reaction cross-sections reviewed.
68	40-Zr-93 $1.5 \times 10^6$ y	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
69	<b>40-Zr-94</b>	JENDL-3.2	Aug89/Jul99	FP	NT Threshold reaction cross-sections reviewed.
70	40-Zr-95 64.0 d	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
71	<b>40-Zr-96</b> $3.9 \times 10^{18}$ y	JENDL-3.2	Aug89/Jul99	FP	NT Threshold reaction cross-sections reviewed.
72	41-Nb-91 680 y	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
73	41-Nb-91m 60.9 d	EAF-3	Jul92/	FP	Only sets of cross-sections given.
74	41-Nb-92 $3.6 \times 10^7$ y	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
75	41-Nb-92m 10.15 d	EAF-3	Jul92/	FP	Only sets of cross-sections given.
76	<b>41-Nb-93</b>	BROND-2	Dec88/Feb93	GP	NT, GAM <b>Cross section for (n, 2n) reaction was used as a standard</b>
77	41-Nb-93m 16.13 y	EAF-3	Jul92/	FP	Only sets of cross-sections given.
78	41-Nb-94 $2. \times 10^6$ y	JENDL-3.2	Mar90/Nov96	FP	NT Cross-sections modified. DD data added.
79	41-Nb-95 34.97 d	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
80	41-Nb-95m 86.6 h	EAF-3	Jul92/	FP	Only sets of cross-sections given.
81	41-Nb-96 23.4 h	ADL-3	Jan94/	FP	Only sets of cross-sections given.
82	<b>42-Mo-nat</b>	JENDL-3.2	Mar89/Feb94	GP	NT, GAM
83	<b>42-Mo-92</b>	JENDL-3.2	Aug89/Oct93	FP	NT
84	42-Mo-93 $3.5 \times 10^3$ y	EAF-3	Jul92/	FP	Only sets of cross-sections given.
85	<b>42-Mo-94</b>	JENDL-3.2	Aug89/Oct93	FP	NT
86	<b>42-Mo-95</b>	JENDL-3.2	Aug89/Oct93 /Jul99	FP	NT Threshold reaction cross-sections reviewed.
87	<b>42-Mo-96</b>	JENDL-3.2	Aug89/Oct93 /Jul99	FP	NT Threshold reaction cross-sections reviewed.

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
<b>88</b>	<b>42-Mo-97</b>	JENDL-3.2	Aug89/Oct93 /Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>89</b>	<b>42-Mo-98</b>	JENDL-3.2	Aug89/Oct93 /Jul99	FP	NT Threshold reaction cross-sections reviewed.
90	<i>42-Mo-99</i> <i>66 h</i>	JENDL-3.2	Aug89/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>91</b>	<b>42-Mo-100</b> <b>1.15×10<sup>19</sup> y</b>	JENDL-3.2	Aug89/Oct93 /Jul99	FP	NT Threshold reaction cross-sections reviewed.
92	<i>43-Tc-95</i> <i>20 h</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
93	<i>43-Tc-95m</i> <i>60 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
94	<i>43-Tc-96</i> <i>4.3 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
95	<i>43-Tc-97</i> <i>4.×10<sup>6</sup> y</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
96	<i>43-Tc-97m</i> <i>92.2 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
97	<i>43-Tc-98</i> <i>4.2×10<sup>6</sup> y</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
98	<i>43-Tc-99</i> <i>2.1×10<sup>5</sup> y</i>	JENDL-3.2	Mar90/Nov93 /Jul99	GP	NT Threshold reaction cross-sections reviewed.
<b>99</b>	<b>44-Ru-96</b>	JENDL-3.2	Mar90/	FP	NT
100	<i>44-Ru-97</i> <i>2.9 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
<b>101</b>	<b>44-Ru-98</b>	JENDL-3.2	Mar90/	FP	NT
<b>102</b>	<b>44-Ru-99</b>	JENDL-3.2	Mar90/Oct93	FP	NT
<b>103</b>	<b>44-Ru-100</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>104</b>	<b>44-Ru-101</b>	JENDL-3.2	Mar90/Oct93 /Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>105</b>	<b>44-Ru-102</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
106	<i>44-Ru-103</i> <i>39.35 d</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>107</b>	<b>44-Ru-104</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
108	<i>44-Ru-105</i> <i>4.44 h</i>	EAF-3	Jul92/Nov96	FP	Only sets of cross-sections given. Cross-sections modified. DD data added.
109	<i>44-Ru-106</i> <i>373.6 d</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
110	<i>45-Rh-101</i> <i>3.3 y</i>	EAF-3	Jul92/Nov96	FP	Only sets of cross-sections given. Threshold reaction cross-sections reviewed.
111	<i>45-Rh-102m</i> <i>2.9 y</i>	EAF-3	Jul92/Nov96	FP	Neutron data represented only by reaction cross-sections. Threshold reaction cross-sections reviewed.
112	<i>45-Rh-102</i> <i>207. d</i>	EAF-3	Jul92/Nov96	FP	Only sets of cross-sections given. Threshold reaction cross-sections reviewed.
<b>113</b>	<b>45-Rh-103</b>	JENDL-3.2	Mar90/Feb94 /Jul99	GP	NT Threshold reaction cross-sections reviewed.
114	<i>45-Rh-105</i> <i>35.4 h</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>115</b>	<b>46-Pd-102</b>	JENDL-3.2	Mar90/	FP	NT.
116	<i>46-Pd-103</i> <i>16.96 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
117	<b>46-Pd-104</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
118	<b>46-Pd-105</b>	JENDL-3.2	Mar90/Aug91 /Jul99	FP	NT Threshold reaction cross-sections reviewed.
119	<b>46-Pd-106</b>	JENDL-3.2	Mar90/Jul99	FP	FP Threshold reaction cross-sections reviewed.
120	<i>46-Pd-107</i> <i>6.5×10<sup>6</sup> y</i>	JENDL-3.2	Mar90/Mar93 /Jul99	FP	NT Threshold reaction cross-sections reviewed.
121	<b>46-Pd-108</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
122	<b>46-Pd-110</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
123	<b>47-Ag-nat</b>	JENDL-3.2	Mar87/Feb94	GP	NT, GAM
124	<i>47-Ag-105g</i> <i>41.29 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
125	<i>47-Ag-106m</i> <i>8.3 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
126	<b>47-Ag-107</b>	JENDL-3.2	Mar87/Feb94	ACT	NT, GAM
127	<i>47-Ag-108m</i> <i>418 y</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
128	<b>47-Ag-109</b>	JENDL-3.2	Mar87/Feb94 /Jul99	FP	NT, GAM Threshold reaction cross-sections reviewed.
129	<i>47-Ag-110m</i> <i>249.9 d</i>	JENDL-3.2	Mar90/	FP	NT
130	<i>47-Ag-111</i> <i>7.45 d</i>	JEF-2	Jul82/Jul99	FP	NT Modification of ENDF/B-5FP evaluation. Threshold reaction cross-sections reviewed.
131	<b>48-Cd-nat</b>	JENDL-3.2	Mar89/Dec93	GP	NT, GAM
132	<b>48-Cd-106</b>	JENDL-3.2	Mar90/Nov96	FP	NT Cross-sections modified. DD data added.
133	<b>48-Cd-108</b>	JENDL-3.2	Mar90/	FP	NT Cross-sections modified. DD data added.
134	<i>48-Cd-109</i> <i>462 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
135	<b>48-Cd-110</b>	JENDL-3.2	Mar90/Nov93 /Jul99	FP	NT Threshold reaction cross-sections reviewed.
136	<b>48-Cd-111</b>	JENDL-3.2	Mar90/Nov93 /Jul99	FP	NT Threshold reaction cross-sections reviewed.
137	<b>48-Cd-112</b>	JENDL-3.2	Mar90/Jul99	FP	FP Threshold reaction cross-sections reviewed.
138	<b>48-Cd-113</b> <i>9×10<sup>15</sup> y</i>	JENDL-3.2	Mar90/Aug93 /Jul99	FP	FP Threshold reaction cross-sections reviewed.
139	<i>48-Cd-113m</i> <i>14.6 y</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
140	<b>48-Cd-114</b>	JENDL-3.2	Mar90/Nov96 /Jul99	FP	FP DD data added. Threshold reaction cross-sections reviewed.
141	<i>48-Cd-115</i> <i>53.38 h</i>	EAF-3	Jul92/Nov96	FP	Only sets of cross-sections given.
142	<i>48-Cd-115m</i> <i>44.8 d</i>	JEF-2	Jul82/	FP	FP Modification of ENDF/B-5FP evaluation.
143	<b>48-Cd-116</b> <i>2.6×10<sup>19</sup> y</i>	JENDL-3.2	Mar90/Nov96 /Jul99	FP	NT DD data added. Threshold reaction cross-sections reviewed.
144	<b>49-In-113</b>	JENDL-3.2	Mar90/	FP	NT

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
145	<i>49-In-114m</i> <i>49.5 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
<b>146</b>	<b>49-In-115</b> <b>4.4×10<sup>14</sup> y</b>	JENDL-3.2	Mar90/Mar97 /Jul99	FP	NT, DD, COV Threshold reaction cross-sections reviewed.
<b>147</b>	<b>50-Sn-112</b>	JENDL-3.2	Mar90/	FP	NT
148	<i>50-Sn-113</i> <i>115.1 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
<b>149</b>	<b>50-Sn-114</b>	JENDL-3.2	Mar90/	FP	NT
<b>150</b>	<b>50-Sn-115</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>151</b>	<b>50-Sn-116</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>152</b>	<b>50-Sn-117</b>	JENDL-3.2	Mar90/Nov96 /Jul99	FP	NT, DD data added. Threshold reaction cross-sections reviewed.
153	<i>50-Sn-117m</i> <i>13.6 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
<b>154</b>	<b>50-Sn-118</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>155</b>	<b>50-Sn-119</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
156	<i>50-Sn-119m</i> <i>293 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
<b>157</b>	<b>50-Sn-120</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
158	<i>50-Sn-121</i> <i>27.0 h</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
159	<i>50-Sn-121m</i> <i>50 y</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
<b>160</b>	<b>50-Sn-122</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
161	<i>50-Sn-123</i> <i>129.3 d</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>162</b>	<b>50-Sn-124</b>	JENDL-3.2	Mar90/Mar93 /Jul99	FP	NT Threshold reaction cross-sections reviewed.
163	<i>50-Sn-125</i> <i>9.64 d</i>	JEF-2	Jul82/Jul99	FP	NT Modification of ENDF/B-5FP evaluation. Threshold reaction cross-sections reviewed.
164	<i>50-Sn-126</i> <i>10<sup>5</sup> y</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>165</b>	<b>51-Sb-nat</b>	JENDL-3.2	Mar89/Feb94	GP	NT
166	<i>51-Sb-119</i> <i>38.5 h</i>	EAF-3	JuL92/Nov96	FP	Cross-sections modified. DD data added.
167	<i>51-Sb-120m</i> <i>5.76 d</i>	EAF-3	JuL92/Nov96	FP	Cross-sections modified. DD data added.
<b>168</b>	<b>51-Sb-121</b>	JENDL-3.2	Mar89/Feb94/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
169	<i>51-Sb-122</i> <i>2.70 d</i>	EAF-3	Jul92/Nov96	FP	Threshold reaction cross-sections reviewed.
<b>170</b>	<b>51-Sb-123</b>	JENDL-3.2	Aug89/Feb94/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
171	<i>51-Sb-124</i> <i>60.3 d</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
172	<i>51-Sb-125</i> <i>2.77 y</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
173	<i>51-Sb-126</i> <i>12.4 d</i>	JEF-2	Jul82/Jul99	FP	NT Threshold reaction cross-sections reviewed.

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
174	<i>51-Sb-127</i> <i>3.85 d</i>	EAF-3	Jul92/Jul99	FP	NT, DD Threshold reaction cross-sections reviewed.
175	<i>52-Te-118</i> <i>6.0 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
176	<i>52-Te-119m</i> <i>4.7 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
<b>177</b>	<b>52-Te-120</b>	JENDL-3.2	Mar90/	FP	NT
178	<i>52-Te-121</i> <i>16.8 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
179	<i>52-Te-121m</i> <i>154 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
<b>180</b>	<b>52-Te-122</b>	JENDL-3.2	Mar90/Nov93/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>181</b>	<b>52-Te-123</b> <b>1.24×10<sup>13</sup> y</b>	JENDL-3.2	Mar90/Sep93/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
182	<i>52-Te-123m</i> <i>119.7 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
<b>183</b>	<b>52-Te-124</b>	JENDL-3.2	Mar90/Nov93/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>184</b>	<b>52-Te-125</b>	JENDL-3.2	Mar90/Nov93/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
185	<i>52-Te-125m</i> <i>57.4 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
<b>186</b>	<b>52-Te-126</b>	JENDL-3.2	Mar90/Nov93/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
187	<i>52-Te-127m</i> <i>109 d</i>	JENDL-3.2	Mar90/	FP	NT
<b>188</b>	<b>52-Te-128</b> <b>7.2×10<sup>24</sup> y</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
189	<i>52-Te-129m</i> <i>33.6 d</i>	JENDL-3.2	Mar90/	FP	NT
<b>190</b>	<b>52-Te-130</b> <b>2.7×10<sup>21</sup> y</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
191	<i>52-Te-131m</i> <i>30 h</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
192	<i>52-Te-132</i> <i>76.3 h</i>	JEF-2	Jul82/Jul99	FP	NT Threshold reaction cross-sections reviewed.
193	<i>53-I-124</i> <i>4.15 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
194	<i>53-I-125</i> <i>59.41 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
195	<i>53-I-126</i> <i>13.11 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
<b>196</b>	<b>53-I-127</b>	JENDL-3.2	Mar90/Apr93/ Jul99	GP	NT Threshold reaction cross-sections reviewed.
197	<i>53-I-128</i> <i>25 m</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
198	<i>53-I-129</i> <i>1.57×10<sup>7</sup> y</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
199	<i>53-I-130</i> <i>12.36 h</i>	JEF-2	Jul82/Jul99	FP	NT Modification of ENDF/B-5FP evaluation. Threshold reaction cross-sections reviewed.
200	<i>53-I-131</i> <i>8.02 d</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
201	<i>53-I-135</i> <i>6.61 h</i>	ADL-3	Jan94/	FP	Only sets of cross-sections given.

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
<b>202</b>	<b>54-Xe-124</b>	JENDL-3.2	Mar90/	FP	NT
<b>203</b>	<b>54-Xe-126</b>	JENDL-3.2	Mar90/	FP	NT
204	54-Xe-127 <i>36.4 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>205</b>	<b>54-Xe-128</b>	JENDL-3.2	Mar90/Jul99	FP	NT
<b>206</b>	<b>54-Xe-129</b>	JENDL-3.2	Mar90/Jul99	FP	Threshold reaction cross-sections reviewed.
207	54-Xe-129m <i>8.89 d</i>	EAF-3	Jul92/Nov96	FP	NT
<b>208</b>	<b>54-Xe-130</b>	JENDL-3.2	Mar90/Jul99	FP	Threshold reaction cross-sections reviewed.
<b>209</b>	<b>54-Xe-131</b>	JENDL-3.2	Mar90/Jul99	FP	NT
210	54-Xe-131m <i>11.9 d</i>	EAF-3	Jul92/Nov96	FP	Threshold reaction cross-sections reviewed.
<b>211</b>	<b>54-Xe-132</b>	JENDL-3.2	Mar90/Jul99	FP	Cross-sections modified. DD data added.
212	<i>54-Xe-133</i> <i>5.25 d</i>	ENDF/B-6	Apr74/Jul99	FP	NT
213	<i>54-Xe-133m</i> <i>2.19 d</i>	EAF-3	Jul92/Nov96	FP	Threshold reaction cross-sections reviewed.
<b>214</b>	<b>54-Xe-134</b>	JENDL-3.2	Mar90/Jul99	FP	Cross-sections modified. DD data added.
215	<i>54-Xe-135</i> <i>9.10 h</i>	JENDL-3.2	Mar90/Jul99	FP	NT
<b>216</b>	<b>54-Xe-136</b>	JENDL-3.2	Mar90/Jul99	FP	Threshold reaction cross-sections reviewed.
217	<i>55-Cs-131</i> <i>9.69 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
218	<i>55-Cs-132</i> <i>6.47 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>219</b>	<b>55-Cs-133</b>	JENDL-3.2	Mar90/Jul99	GP	NT
220	<i>55-Cs-134</i> <i>2.06 y</i>	JENDL-3.2	Mar90/Jul99	FP	Threshold reaction cross-sections reviewed.
221	<i>55-Cs-135</i> <i>2×10<sup>6</sup> y</i>	JENDL-3.2	Mar90/Jul99	FP	NT
222	<i>55-Cs-136</i> <i>13.16 d</i>	JENDL-3.2	Mar90/Jul99	FP	Threshold reaction cross-sections reviewed.
223	<i>55-Cs-137</i> <i>30.17 y</i>	JENDL-3.2	Mar90/Mar93/ Jul99	FP	NT
<b>224</b>	<b>56-Ba-130</b>	JENDL-3.2	Mar90/	FP	NT
225	<i>56-Ba-131</i> <i>11.5 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
<b>226</b>	<b>56-Ba-132</b>	JENDL-3.2	Mar90/	FP	NT
227	<i>56-Ba-133</i> <i>10.5 y</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
228	<i>56-Ba-133m</i> <i>38.9 h</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
<b>229</b>	<b>56-Ba-134</b>	JENDL-3.2	Mar90/Jul99	FP	NT
<b>230</b>	<b>56-Ba-135</b>	JENDL-3.2	Mar90/Nov93/ Jul99	FP	Threshold reaction cross-sections reviewed.
231	<i>56-Ba-135m</i> <i>28.7 h</i>	EAF-3	Jul92/Nov96	FP	NT
					Threshold reaction cross-sections reviewed.

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
232	<b>56-Ba-136</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
233	<b>56-Ba-137</b>	JENDL-3.2	Mar90/Oct93/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
234	<b>56-Ba-138</b>	JENDL-3.2	Mar90/Oct93/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
235	<i>56-Ba-139</i> <i>83.06 m</i>	EAF-3	Jul92/Nov96/ Jul99	FP	Cross-sections modified. DD data added.
236	<i>56-Ba-140</i> <i>12.75 d</i>	JEF-2	Jul82/Jul99	FP	NT Threshold reaction cross-sections reviewed.
237	<i>57-La-137</i> <i>6.×10<sup>4</sup> y</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
238	<b>57-La-138</b> <b>1.05×10<sup>11</sup> y</b>	JENDL-3.2	Mar90/Nov93	GP	NT
239	<b>57-La-139</b>	JENDL-3.2	Mar90/Nov93/ Jul99	GP	NT Threshold reaction cross-sections reviewed.
240	<i>57-La-140</i> <i>40.272 h</i>	EAF-3	Jul92/Nov96/ Jul99	FP	DD data added. Threshold reaction cross-sections reviewed.
241	<b>58-Ce-136</b>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
242	<i>58-Ce-137m</i> <i>34.4 h</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
243	<b>58-Ce-138</b>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
244	<i>58-Ce-139</i> <i>137.6 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
245	<b>58-Ce-140</b>	JENDL-3.2	Mar90/Nov93/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
246	<i>58-Ce-141</i> <i>32.50 d</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
247	<b>58-Ce-142</b>	JENDL-3.2	Mar90/Sep93/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
248	<i>58-Ce-143</i> <i>33.0 h</i>	EAF-3	Jul92/Nov96/ Jul99	FP	DD data added. Threshold reaction cross-sections reviewed.
249	<i>58-Ce-144</i> <i>284.8 d</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
250	<b>59-Pr-141</b>	JENDL-3.2	Mar90/Sep93/ Jul99	GP	NT Threshold reaction cross-sections reviewed.
251	<i>59-Pr-142</i> <i>19.13 h</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
252	<i>59-Pr-143</i> <i>13.75 d</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
253	<i>60-Nd-140</i> <i>3.37 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
254	<i>60-Nd-141</i> <i>2.5 h</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
255	<b>60-Nd-142</b>	JENDL-3.2	Mar90/Nov93/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
256	<b>60-Nd-143</b>	JENDL-3.2	Mar90/Nov93/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
257	<b>60-Nd-144</b> <b>2.29×10<sup>15</sup> y</b>	JENDL-3.2	Mar90/Oct93/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
258	<b>60-Nd-145</b>	JENDL-3.2	Mar90/Oct93/ Jul99	FP	NT Threshold reaction cross-sections reviewed..
259	<b>60-Nd-146</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
260	<i>60-Nd-147</i> <i>10.98 d</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
<b>261</b>	<b>60-Nd-148</b>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>262</b>	<b>60-Nd-150</b> <b>1.4×10<sup>19</sup> y</b>	JENDL-3.2	Mar90/Oct93/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
263	<i>61-Pm-143</i> <i>265 d</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
264	<i>61-Pm-144</i> <i>1.0 y</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
265	<i>61-Pm-145</i> <i>17.7 y</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
266	<i>61-Pm-146</i> <i>5.53 y</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
267	<i>61-Pm-147</i> <i>2.62 y</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
268	<i>61-Pm-148</i> <i>5.37 d</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
269	<i>61-Pm-148m</i> <i>41.3 d</i>	JENDL-3.2	Mar90/Dec97	FP	NT
270	<i>61-Pm-149</i> <i>53.1 h</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
271	<i>61-Pm-150</i> <i>2.7 h</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
272	<i>61-Pm-151</i> <i>28.4 h</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
<b>273</b>	<b>62-Sm-144</b>	ENDF/B-6	Feb80/Jan92	FP	NT
274	<i>62-Sm-145</i> <i>340 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
275	<i>62-Sm-146</i> <i>1.03×10<sup>8</sup> y</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>276</b>	<b>62-Sm-147</b> <b>1.06×10<sup>11</sup> y</b>	FOND-2.2	Mar90/Aug93/ Jul99	FP	NT Modification of JENDL-3.2 evaluation. Threshold reaction cross-sections reviewed.
<b>277</b>	<b>62-Sm-148</b> <b>7×10<sup>15</sup> y</b>	FOND-2.2	Sep87/Apr97/ Jul99	FP	NT Modification of JENDL-3.2 evaluation. Threshold reaction cross-sections reviewed.
<b>278</b>	<b>62-Sm-149</b>	FOND-2.2	Mar90/Jul99/ Aug99	FP	NT Modification of JENDL-3.2 evaluation.. Threshold reaction cross-sections reviewed.
<b>279</b>	<b>62-Sm-150</b>	JENDL-3.2	Mar90/Jun94/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
280	<i>62-Sm-151</i> <i>93 y</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>281</b>	<b>62-Sm-152</b>	JENDL-3.2	Mar90/Jun94/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
282	<i>62-Sm-153</i> <i>47.26 h</i>	JENDL-3.2	Mar90/Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>283</b>	<b>62-Sm-154</b>	JENDL-3.2	Mar90/Jun94/ Jul99	FP	NT Threshold reaction cross-sections reviewed.
<b>284</b>	<b>63-Eu-nat</b>	JENDL-3.2	Mar89/Nov93	GP	NT, GAM
285	<i>63-Eu-145</i> <i>5.93 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
286	<i>63-Eu-146</i> <i>4.51 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
287	<i>63-Eu-147</i> <i>24.6 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
288	<i>63-Eu-148</i> <i>55.6 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
289	<i>63-Eu-149</i> <i>93.1 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
290	<i>63-Eu-150</i> <i>36.9 y</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>291</b>	<b>63-Eu-151</b>	JENDL-3.2	Mar89/	FP	NT
292	<i>63-Eu-152</i> <i>13.33 y</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>293</b>	<b>63-Eu-153</b>	JENDL-3.2	Mar89/Jan94/ Jul99	FP	NT
294	<i>63-Eu-154</i> <i>8.8 y</i>	JENDL-3.2	Dec90/Nov93/ Jul99	FP	Threshold reaction cross-sections reviewed. NT
295	<i>63-Eu-155</i> <i>4.761 y</i>	JENDL-3.2	Mar90/Nov93/ Jul99	FP	Threshold reaction cross-sections reviewed. NT
296	<i>63-Eu-156</i> <i>15.2 d</i>	JEF-2	Jul82/Apr89/ Jul99	FP	Threshold reaction cross-sections reviewed. NT
297	<i>63-Eu-157</i> <i>15.18 h</i>	EAF-3	Jul92/	FP	Threshold reaction cross-sections reviewed. Only sets of cross-sections given.
298	<i>64-Gd-148</i> <i>74.6 y</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
299	<i>64-Gd-149</i> <i>9.28 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
300	<i>64-Gd-150</i> <i>1.8×10<sup>6</sup> y</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
301	<i>64-Gd-151</i> <i>120 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>302</b>	<b>64-Gd-152</b> <b>1.1×10<sup>14</sup> y</b>	JENDL-3.2	Mar90/	FP	NT
303	<i>64-Gd-153</i> <i>239.47 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>304</b>	<b>64-Gd-154</b>	JENDL-3.2	Mar90/Jul99	FP	NT
<b>305</b>	<b>64-Gd-155</b>	ENDF/B-6	Jun77/Jul99	FP	Threshold reaction cross-sections reviewed. NT
<b>306</b>	<b>64-Gd-156</b>	JENDL-3.2	Mar90/Jul99	FP	Threshold reaction cross-sections reviewed. NT
<b>307</b>	<b>64-Gd-157</b>	JENDL-3.2	Mar90/Jul99	FP	Threshold reaction cross-sections reviewed. NT
<b>308</b>	<b>64-Gd-158</b>	JENDL-3.2	Mar90/Jul99	FP	Threshold reaction cross-sections reviewed. NT
<b>309</b>	<b>64-Gd-160</b>	JENDL-3.2	Mar90/Jul99	FP	Threshold reaction cross-sections reviewed. NT
310	<i>65-Tb-157</i> <i>99 y</i>	AF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
311	<i>65-Tb-158</i> <i>180 y</i>	EAF-3	Jul92/Nov96	FP	Cross-sections modified. DD data added.
<b>312</b>	<b>65-Tb-159</b>	JENDL-3.2	Mar90/Jul99	GP	NT
313	<i>65-Tb-160</i> <i>73.3 d</i>	JEF-2	Jun82/Jul99	FP	Threshold reaction cross-sections reviewed. NT
314	<i>65-Tb-161</i> <i>6.90 d</i>	EAF-3	Jul92/Jul99	FP	Threshold reaction cross-sections reviewed. Only sets of cross-sections given. Threshold reaction cross-sections reviewed.
<b>315</b>	<b>66-Dy-nat</b>	FOND-2	Nov89/	GP	Only set of resonance parameters given.
316	<i>66-Dy-154</i> <i>3.0×10<sup>6</sup> y</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
317	<i>66-Dy-155</i> <i>10.0 h</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>318</b>	<b>66-Dy-156</b>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>319</b>	<b>66-Dy-158</b>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
320	<i>66-Dy-159</i> <i>144.4 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>321</b>	<b>66-Dy-160</b>	JEF-2	Jun82/Jul99	FP	NT
<b>322</b>	<b>66-Dy-161</b>	JEF-2	Jun82/Jul99	FP	Threshold reaction cross-sections reviewed. NT
<b>323</b>	<b>66-Dy-162</b>	JEF-2	Jun82/Jul99	FP	Threshold reaction cross-sections reviewed. NT
<b>324</b>	<b>66-Dy-163</b>	JEF-2	Jun82/Jul99	FP	Threshold reaction cross-sections reviewed. NT
<b>325</b>	<b>66-Dy-164</b>	JEF-2	Jun82/Jul99	FP	Threshold reaction cross-sections reviewed. NT
326	<i>66-Dy-165</i> <i>2.35 h</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
327	<i>66-Dy-166</i> <i>81.5 h</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
328	<i>67-Ho-163</i> <i>4750 y</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>329</b>	<b>67-Ho-165</b>	ENDF/B-5	Apr74/Jul80	GP	NT
330	<i>67-Ho-166</i> <i>26.8 h</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
331	<i>67-Ho-166m</i> <i>1 200 y</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>332</b>	<b>68-Er-nat</b>	FOND-2	Dec76/Nov89	GP	Only set of resonance parameters for stable isotopes given.
<b>333</b>	<b>68-Er-162</b>	BROND-2	Dec76/Nov89	FP	NT, DD
<b>334</b>	<b>68-Er-164</b>	BROND-2	Dec76/Nov89	FP	NT, DD
335	<i>68-Er-165</i> <i>10.3 h</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>336</b>	<b>68-Er-166</b>	BROND-2	Dec76/Nov89	FP	NT, DD
<b>337</b>	<b>68-Er-167</b>	BROND-2	Dec76/Nov89	FP	NT, DD
<b>338</b>	<b>68-Er-168</b>	BROND-2	Dec76/Nov89	FP	NT, DD
339	<i>68-Er-169</i> <i>9.40 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>340</b>	<b>68-Er-170</b>	BROND-2	Dec76/Nov89	FP	NT, DD
341	<i>68-Er-171</i> <i>7.52 h</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
342	<i>68-Er-172</i> <i>49 h</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
343	<i>69-Tm-167</i> <i>9.25 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
344	<i>69-Tm-168</i> <i>93.1 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>345</b>	<b>69-Tm-169</b>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
346	<i>69-Tm-170</i> <i>128.6 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
347	<i>69-Tm-171</i> <i>1.92 y</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given..
348	<i>69-Tm-172</i> <i>63.6 h</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
<b>349</b>	<b>70-Yb-168</b>	EAF-3	Jul92/	FP	Only sets of cross-sections given..
350	<i>70-Yb-169</i> <i>32.0 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>351</b>	<b>70-Yb-170</b>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>352</b>	<b>70-Yb-171</b>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>353</b>	<b>70-Yb-172</b>	EAF-3	Jul92/	FP	Neutron data represented only by reaction cross-sections.
<b>354</b>	<b>70-Yb-173</b>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>355</b>	<b>70-Yb-174</b>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
356	<i>70-Yb-175</i> <i>4.2 d</i>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
<b>357</b>	<b>70-Yb-176</b>	EAF-3	Jul92/	FP	Only sets of cross-sections given.
358	<i>71-Lu-173</i> <i>1.37 y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
359	<i>71-Lu-174</i> <i>3.31 y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
360	<i>71-Lu-174m</i> <i>142 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>361</b>	<b>71-Lu-175</b>	ENDF/B-5	Jul67/	GP	NT
<b>362</b>	<b>71-Lu-176</b> <b><math>3.8 \times 10^{10}</math> y</b>	ENDF/B-5	Jul67/	GP	NT
363	<i>71-Lu-177</i> <i>6.71 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
364	<i>71-Lu-177m</i> <i>160.1 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>365</b>	<b>72-Hf-nat</b>	ENDL-82	Oct82/Dec92	GP	NT, GP
366	<i>72-Hf-172</i> <i>1.87 y</i>	ADL-3	Jan94/	ACT	Only sets of cross-sections given.
367	<i>72-Hf-173</i> <i>23.6 h</i>	ADL-3	Jan94/	ACT	Only sets of cross-sections given.
<b>368</b>	<b>72-Hf-174</b> <b><math>2.0 \times 10^{15}</math> y</b>	JENDL-3	Dec82/Dec83	GP	NT
369	<i>72-Hf-175</i> <i>70.0 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>370</b>	<b>72-Hf-176</b>	JENDL-3	Dec82/Dec83	GP	NT
<b>371</b>	<b>72-Hf-177</b>	JENDL-3	Dec82/Dec83	GP	NT
<b>372</b>	<b>72-Hf-178</b>	JENDL-3	Dec82/Jan84	GP	NT.
373	<i>72-Hf-178n</i> <i>31 y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>374</b>	<b>72-Hf-179</b>	JENDL-3	Dec82/Dec83	GP	NT.
375	<i>72-Hf-179n</i> <i>25 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>376</b>	<b>72-Hf-180</b>	JENDL-3	Dec82/Dec83	GP	NT
377	<i>72-Hf-181</i> <i>42.39 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
378	<i>72-Hf-182</i> <i><math>9 \times 10^6</math> y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
379	<i>73-Ta-179</i> <i>665 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>380</b>	<b>73-Ta-180</b> <b>8.15 h</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>381</b>	<b>73-Ta-180m</b> <b><math>&gt;10^{15}</math> y</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>382</b>	<b>73-Ta-181</b>	ENDL-72	Jan72/Dec92	GP	NT, GAM
383	<i>73-Ta-182</i> <i>114.43 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
384	<i>73-Ta-183</i> <i>5.0 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
385	<i>74-W-178</i> <i>22 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>386</b>	<b>74-W-180</b>	BROND-2	May83/May90	ACT	Only set of resonance parameters given.
387	<i>74-W-181</i> <i>121.2 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>388</b>	<b>74-W-182</b>	BROND-2	May83/May90	ACT	NT, GAM
<b>389</b>	<b>74-W-183</b>	BROND-2	May83/May90	ACT	NT, GAM
<b>390</b>	<b>74-W-184</b>	BROND-2	May83/May90	ACT	NT, GAM
391	<i>74-W-185</i> <i>75.1 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>392</b>	<b>74-W-186</b>	BROND-2	May83/May90	ACT	NT, GAM
393	<i>74-W-187</i> <i>23.72 h</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
394	<i>74-W-188</i> <i>69 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>395</b>	<b>75-Re-nat</b>	FOND-2	Jan88/Sep91	GP	NT
396	<i>75-Re-183</i> <i>71 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
397	<i>75-Re-184</i> <i>38.0 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
398	<i>75-Re-184m</i> <i>169 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>399</b>	<b>75-Re-185</b>	FOND-2	Jan68/Dec92	ACT	NT Modification of ENDF/B-5 evaluation.
400	<i>75-Re-186</i> <i>89.25 h</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
401	<i>75-Re-186m</i> <i>2×10<sup>5</sup> y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>402</b>	<b>75-Re-187</b> <b>5×10<sup>10</sup> y</b>	FOND-2	Jan68/Dec92	ACT	NT Modification of ENDF/B-5 evaluation.
403	<i>75-Re-188</i> <i>16.96 h</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
404	<i>75-Re-189</i> <i>24.3 h</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>405</b>	<b>76-Os-nat</b>	BROND-2	Jan90/	GP	NT, GP
<b>406</b>	<b>76-Os-184</b>	FOND-2	Jul92/	ACT	NT, DD
407	<i>76-Os-185</i> <i>94 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>408</b>	<b>76-Os-186</b> <b>2×10<sup>15</sup> y</b>	FOND-2	Jul92/	ACT	NT, DD
<b>409</b>	<b>76-Os-187</b>	FOND-2	Jul92/	ACT	NT, DD
<b>410</b>	<b>76-Os-188</b>	FOND-2	Jul92/	ACT	NT, DD
<b>411</b>	<b>76-Os-189</b>	FOND-2	Jul92/	ACT	NT, DD
<b>412</b>	<b>76-Os-190</b>	FOND-2	Jul92/	ACT	NT, DD
413	<i>76-Os-191</i> <i>15.4 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>414</b>	<b>76-Os-192</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
415	<i>76-Os-193</i> <i>30.11 h</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
416	<i>76-Os-194</i> <i>6.0 y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>417</b>	<b>77-Ir-nat</b>	BROND-2	Jan90/	GP	NT, GAM
418	<i>77-Ir-189</i> <i>13.3 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
419	<i>77-Ir-190</i> <i>11.8 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>420</b>	<b>77-Ir-191</b>	FOND-2	Jan90/Nov93	ACT	NT, DD
421	<i>77-Ir-192</i> <i>73.83 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
422	<i>77-Ir-192n</i> <i>241 y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>423</b>	<b>77-Ir-193</b>	FOND-2	Jan90/Jan93	ACT	NT, DD
424	<i>77-Ir-193m</i> <i>10.53 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
425	<i>77-Ir-194m</i> <i>171 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>426</b>	<b>78-Pt-nat</b>	ENDL-78	Oct82/Apr91	GP	NT, GP
<b>427</b>	<b>78-Pt-190</b> <b>6.5×10<sup>11</sup> y</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
428	<i>78-Pt-191</i> <i>2.8 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>429</b>	<b>78-Pt-192</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
430	<i>78-Pt-193</i> <i>50 y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
431	<i>78-Pt-193m</i> <i>4.33 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>432</b>	<b>78-Pt-194</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>433</b>	<b>78-Pt-195</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
434	<i>78-Pt-195m</i> <i>4.02 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>435</b>	<b>78-Pt-196</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
436	<i>78-Pt-197</i> <i>18.3 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>437</b>	<b>78-Pt-198</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
438	<i>79-Au-195</i> <i>196.1 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
439	<i>79-Au-196</i> <i>6.2 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>440</b>	<b>79-Au-197</b>	ENDF/B-6 Rev. 1	Jan84/Jul91	GP ACT	NT, DD, GAM, COV <b>Cross section for the (n,γ) reaction in the 0.2-2.5 MeV region was used as a standard.</b>
441	<i>79-Au-198</i> <i>2.6943 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
442	<i>79-Au-198m</i> <i>2.30 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
443	<i>79-Au-199</i> <i>3.139 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
444	<i>80-Hg-194</i> <i>520 y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
445	<i>80-Hg-195</i> <i>9.5 h</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
446	<i>80-Hg-195m</i> <i>40 h</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
<b>447</b>	<b>80-Hg-196</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
448	<i>80-Hg-197</i> <i>64.1 h</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
449	<i>80-Hg-197m</i> <i>23.8 h</i>	ADL-3	Jan94/	ACT	Only sets of cross-sections given.
<b>450</b>	<b>80-Hg-198</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
451	<b>80-Hg-199</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
452	<b>80-Hg-200</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
453	<b>80-Hg-201</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
454	<b>80-Hg-202</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
455	<i>80-Hg-203</i> <i>46.59 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
456	<b>80-Hg-204</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
457	<i>81-Tl-201</i> <i>73.1 h</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
458	<i>81-Tl-202</i> <i>12.23 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
459	<b>81-Tl-203</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
460	<i>81-Tl-204</i> <i>3.78 y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
461	<b>81-Tl-205</b>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
462	<b>82-Pb-nat</b>	JENDL-3.0	Jul87/	GP	NT, GAM
463	<i>82-Pb-202</i> <i>5.25×10<sup>4</sup> y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
464	<i>82-Pb-203</i> <i>51.9 h</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
465	<b>82-Pb-204</b>	JENDL-3.0	Jul87/	ACT	NT, GAM
466	<i>82-Pb-205</i> <i>1.5×10<sup>7</sup> y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
467	<b>82-Pb-206</b>	JENDL-3.0	Jul87/	ACT	NT, GAM
468	<b>82-Pb-207</b>	JENDL-3.0	Jul87/	ACT	NT, GAM
469	<b>82-Pb-208</b>	JENDL-3.0	Jul87/	ACT	NT, GAM
470	<i>82-Pb-209</i> <i>3.253 h</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
471	<i>82-Pb-210</i> <i>22.3 y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given..
472	<i>83-Bi-207</i> <i>31.55 y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
473	<i>83-Bi-208</i> <i>3.68×10<sup>5</sup> y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
474	<b>83-Bi-209</b>	BROND-2	Nov90/	GP	NT, GAM
475	<i>83-Bi-210</i> <i>5.013 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
476	<i>83-Bi-210m</i> <i>3.0×10<sup>6</sup> y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
477	<i>84-Po-208</i> <i>2.898 y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
478	<i>84-Po-209</i> <i>102 y</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
479	<i>84-Po-210</i> <i>138.38 d</i>	EAF-3	Jul92/	ACT	Only sets of cross-sections given.
480	<i>88-Ra-223</i> <i>11.43 d</i>	JENDL-3.2	Aug88/	ACT	NT
481	<i>88-Ra-224</i> <i>3.66 d</i>	JENDL-3.2	Aug88/	ACT	NT
482	<i>88-Ra-225</i> <i>14.8 d</i>	JENDL-3.2	Aug88/	ACT	NT
483	<i>88-Ra-226</i> <i>1600 y</i>	JENDL-3.2	Aug88/Nov93	ACT	NT

## ACTINIDES

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
1	<i>89-Ac-225</i> <i>10.0 d</i>	JENDL-3.2	Aug88/	MA	NT
2	<i>89-Ac-226</i> <i>29 h</i>	JENDL-3.2	Aug88/	MA	NT
3	<i>89-Ac-227</i> <i>21.773 y</i>	JENDL-3.2	Aug88/	MA	NT
4	<i>90-Th-227</i> <i>18.72 d</i>	JENDL-3.2	Aug88/Jun94	MA	NT
5	<i>90-Th-228</i> <i>1.913 y</i>	JENDL-3.2	Jun87/Jun94	MA	NT
6	<i>90-Th-229</i> <i>7 880 y</i>	JENDL-3.2	Aug88/Jun94	MA	NT
7	<i>90-Th-230</i> <i>7.54×10<sup>4</sup> y</i>	JENDL-3.2	Jul87/Jun94	MA	NT
8	<b>90-Th-232</b> <i>1.405×10<sup>10</sup> y</i>	ENDF/B-6	Dec77/	GP	NT, GAM, COV
9	<i>90-Th-233</i> <i>22.3 m</i>	JENDL-3.2	Jul87/Jun94	MA	NT
10	<i>90-Th-234</i> <i>24.10 d</i>	JENDL-3.2	Jul87/Jun94	MA	NT
11	<i>91-Pa-231</i> <i>3.276×10<sup>4</sup> y</i>	FOND-2.2	Mar87/Aug96	GP	NT Modification of capture cross-section for JENDL-3.2 evaluation.
12	<i>91-Pa-232</i> <i>1.31 d</i>	JENDL-3.2	Aug88/Jun94	MA	NT
13	<i>91-Pa-233</i> <i>27.0 d</i>	FOND-2	May78/	GP	NT, Modification of ENDF/B-5 evaluation.
14	<i>92-U-232</i> <i>68.9 y</i>	JENDL-3.2	Mar87/Mar94	GP	NT
15	<i>92-U-233</i> <i>1.592×10<sup>5</sup> y</i>	BROND-2	Mar90/Jun90	GP	NT
16	<b>92-U-234</b> <i>2.455×10<sup>5</sup> y</i>	FOND-2	Jul78/	GP	NT, DD Modification of ENDF/B-5 evaluation.
17	<b>92-U-235</b> <i>7.038×10<sup>8</sup> y</i>	ENDF/B-6 Rev. 2	Nov89/Feb93	GP	NT, GAM, COV <b>Cross-section for the (n, fis) reaction in the 100 keV-20 MeV energy region recommended as a standard.</b>
18	<i>92-U-236</i> <i>2.342×10<sup>7</sup> y</i>	ENDF/B-6	Oct89/	GP	NT, DD
19	<i>92-U-237</i> <i>6.72 d</i>	JENDL-3.2	Mar93/	MA	NT
20	<b>92-U-238</b> <i>4.468×10<sup>9</sup> y</i>	BROND-2	Jan80/Feb93	GP	NT, DD <b>Cross-section for the (n, fis) reaction in the energy region up to 20 MeV recommended as a standard.</b>
21	<i>93-Np-236</i> <i>1.54×10<sup>5</sup> y</i>	JENDL-3.2	Mar93/	MA	NT
22	<i>93-Np-237</i> <i>2.144×10<sup>6</sup> y</i>	JENDL-3.2	Nov87/Apr00	GP	NT, DD Modification of the data for the (n,3n) reaction.
23	<i>93-Np-238</i> <i>2.117 d</i>	JENDL-3.2	Mar93/	MA	NT
24	<i>93-Np-239</i> <i>2.355 d</i>	ENDF/B-6	Dec88/	GP	NT

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
25	<i>94-Pu-236</i> <i>2.858 y</i>	ENDF/B-6	Apr78/	MA	NT, DD
26	<i>94-Pu-237</i> <i>45.2 d</i>	ENDF/B-6	Apr78/	MA	NT, DD
27	<i>94-Pu-238</i> <i>87.74 y</i>	BROND-2	Feb87/Feb93	MA	NT
28	<i>94-Pu-239</i> <i>2.411×10<sup>4</sup> y</i>	FOND-2	Mar87/Nov98	GP	NT, GAM Modification of JENDL-3 evaluation: data from the LIPAR-5 library adopted in the energy region below 200 eV.
29	<i>94-Pu-240</i> <i>6 563 y</i>	FOND-2	Dec80/Jan93	GP	NT, GAM Modification of BROND-2 evaluation.
30	<i>94-Pu-241</i> <i>14.35 y</i>	FOND-2	Feb79/Jan93	GP	NT, GAM Modification of BROND-2 evaluation.
31	<i>94-Pu-242</i> <i>3.750×10<sup>5</sup> y</i>	BROND-2	Dec80/Apr91	GP	NT, GAM
32	<i>94-Pu-243</i> <i>4.956 h</i>	ENDF/B-6	Jul76/	MA	NT, DD, GAM
33	<i>94-Pu-244</i> <i>8.00×10<sup>7</sup> y</i>	ENDF/B-6	Apr78/	MA	NT, DD
34	<i>95-Am-241</i> <i>432.2 y</i>	BROND-3	Feb97/Apr00	GP	NT, DD, GAM, COV Correction made to isomeric ratio for capture cross-section.
35	<i>95-Am-242</i> <i>16 h</i>	JENDL-3.2	Mar80/	GP	NT
36	<i>95-Am-242m</i> <i>141 y</i>	BROND-2	Oct90/Dec98	GP	NT Modification of BROND-2 evaluation.
37	<i>95-Am-243</i> <i>7 370 y</i>	JENDL-3.2	Mar88/	GP	NT
38	<i>95-Am-244</i> <i>10.1 h</i>	JENDL-3.2	Mar88/	MA	NT
39	<i>95-Am-244m</i> <i>26 m</i>	JENDL-3.2	Mar88/	MA	NT
40	<i>96-Cm-241</i> <i>32.8 d</i>	JENDL-3.2	Mar89/	MA	NT
41	<i>96-Cm-242</i> <i>162.94 d</i>	JENDL-3.2	Mar89/	MA	NT
42	<i>96-Cm-243</i> <i>29.1 y</i>	JENDL-3.2	Mar89/	MA	NT
43	<i>96-Cm-244</i> <i>18.10 y</i>	JENDL-3.2	Mar89/	MA	NT
44	<i>96-Cm-245</i> <i>8 500 y</i>	JENDL-3.2	Mar89/Sep92	MA	NT
45	<i>96-Cm-246</i> <i>4 730 y</i>	JENDL-3.2	Mar87/	MA	NT
46	<i>96-Cm-247</i> <i>1.56×10<sup>7</sup> y</i>	JENDL-3.2	Mar89/	MA	NT
47	<i>96-Cm-248</i> <i>3.40×10<sup>5</sup> y</i>	JENDL-3.2	Mar84/	MA	NT
48	<i>96-Cm-249</i> <i>64.15 m</i>	JENDL-3.2	Mar84/Sep92	MA	NT
49	<i>96-Cm-250</i> <i>~9700 y</i>	JENDL-3.2	Aug87/Jul94	MA	NT
50	<i>97-Bk-249</i> <i>320 d</i>	ENDF/B-6	Jun86/	MA	NT

No.	NUCLIDE	SOURCE	EVAL/REV	STATUS	Composition of data and brief comments
51	<i>97-Bk-250</i> <i>3.217 h</i>	JENDL-3.2	Mar87/	MA	NT
52	<i>98-Cf-249</i> <i>350.6 y</i>	ENDF/B-6	Apr89/	MA	NT
53	<i>98-Cf-250</i> <i>13.08 y</i>	ENDF/B-6	Jul76/	MA	NT, DD, GAM
54	<i>98-Cf-251</i> <i>898 y</i>	ENDF/B-6	Jul76/	MA	NT, DD, GAM
55	<i>98-Cf-252</i> <i>2.645 y</i>	ENDF/B-6	Jul76/Aug91	MA	NT, DD, GAM
56	<i>98-Cf-253</i> <i>17.81 d</i>	ENDF/B-6	Dec75	MA	NT
57	<i>98-Cf-254</i> <i>60.5 d</i>	JENDL-3.2	Aug87/Jun94	MA	NT
58	<i>99-Es-253</i> <i>20.47 d</i>	ENDF/B-6	Jul76/	MA	NT
59	<i>99-Es-254</i> <i>275.7 d</i>	JENDL-3.2	Aug87/Jun94	MA	NT
60	<i>99-Es-255</i> <i>39.8 d</i>	JENDL-3.2	Aug87/Jun94	MA	NT
61	<i>100-Fm-255</i> <i>20.1 h</i>	JENDL-3.2	Aug87/Jun94	MA	NT

### **Availability of data**

The latest release of the Library is available from the Sectoral Fund for Algorithms and Programs at the following address:

Institute for Physics and Power Engineering, Sectoral Fund for Algorithms and Programs,  
Bondarenko Square 1, Kaluga Region, 249033, Russia  
(Web: <http://ultra.ippe.obninsk.ru:8097>;  
E-mail: [ofap@ippe.rssi.ru](mailto:ofap@ippe.rssi.ru), with copy of the request to [abbn@ippe.rssi.ru](mailto:abbn@ippe.rssi.ru)).

The 1999 release of FOND-2.2 Library is available online from IAEA Nuclear Data Section Web server (<http://www-nds.iaea.org/reports/nds-199.pdf>) through hyperlink to data in this report or on CD-ROM on the request.

## REFERENCES

- [1] MANTUROV, G.N., NIKOLAEV, M.N., TSIBOULYA, A.M., ABBN-93 group constants system, Part 1, Nuclear constants for calculating neutron fields and photon fields, Voprosy ATomnoj Nauki i Tekhniki, Ser.: Yadernye Konstanty 1 (1996) p. 59.
- [2] NIKOLAEV, M.N., Provision of nuclear data for fast reactor calculations, Yadernye Konstanty 8, Part 1 (1972) p. 3.
- [3] KOSCHEEV, V.N., NIKOLAEV, M.N., Neutron data library for calculating group constants, Voprosy Atomnoj Nauki i Tekhniki, Ser.: Yadernye Konstanty 5 (59) (1984) p. 34.
- [4] ABAGYAN, L.P., BAZAZYANTS, N.O., TSIBULYA, A.M., Group constants for reactor and shielding calculations, Handbook, Ehnergoizdat, Moscow (1981).
- [5] KOSCHEEV, V.N., MANTUROV, G.N., NIKOLAEV, M.N., et al., New Nuclear Data Set ABBN-90 and its Testing on Macroscopic Experiments, INDC(CCP)-352 (1993).
- [6] BLOKHIN, A.I., IGNATYUK, A.V., KOSCHEEV, V.N., et al., Library of Evaluated Neutron Data Files, Proc. of Conference on Nuclear Data for Science and Technology, Mito, JAERY (1988) p. 611.
- [7] BLOKHIN, A.I., FURSOV, B.I., IGNATYUK, A.V., et al., Current Status of Russian Evaluated Neutron Data Libraries, Proc. of Conference on Nuclear Data and Technology, Gatlinburg, ORNL Vol. II (1994) p. 695.
- [8] ZABRODSKAYA, S.V., KORCHAGINA, ZH.A., KOSCHEEV, V.N., et al., Neutron data for actinides in the FOND and ABBN libraries, Voprosy Atomnoj Nauki i Tekhniki, Ser. Yadernye Konstanty 1-2 (1997) p. 60.
- [9] Physics of Plutonium Recycling, Vol. 2, Plutonium Recycling in Pressurized-Water Reactors, OECD (1995). DEHART, M.D., BRADY, M.C., PARKS, C.V., Burnup Credit Computational Criticality Benchmark, Phase I-B Results, NEA/NSC/DOC(96)-06, ORNL-6901 (1996).
- [10] GONCHAROV, R. K., ZVONAROV, A.V., KOLYZHENKOV, V.A., et al., Evaluated results of average neutron cross-section ratio measurements for fuel nuclides in the BN-350, Atomnaya Ehnergiya, **70**, 2 (1991) pp 123-125. T. Mukaiyama, et al., Actinide Integral Measurements on FCA for Evaluating and Improving the Cross-Section Data, NEACRP-A-684 (1985).
- [11] GRUPPELAAR, H., KLOOSTERMAN, J.L., PIJLGROMS, B.J., et al., Status of Pseudo Fission Product Cross-Sections for Fast Reactor, ECN-R—98-014 (1998).
- [12] KOLESOV, V.E., NIKOLAEV, M.N., Format for a library of recommended data for reactor calculations, Yadernye Konstanty 8, Part 4 (1972) p. 3.
- [13] D.S. Norton, The UKAEA Nuclear Data Library, AEEW-M 824 (February 1968).

- [14] Data Formats and Procedures for the Evaluated Nuclear Data File, ENDF, Rev. by R. Kinsey, ENDF-102, BNL-NCS-50496 (1979). Data Formats and Procedures for the Evaluated Nuclear Data File, ENDF, Edited by P.F. Rose, C.L. Dunford, ENDF-102, BNL-NCS-44945 (1991).
- [15] Dunford, C.L., ENDF Utility Codes release 6.9 for Evaluated Nuclear Data Files in the Formats ENDF-6 and ENDF-5, INDC(NDS)-29 (1993).
- [16] SINITSA, V.V., Program for calculating group constants using evaluated neutron data libraries, Yadernye Konstanty 5 (59) (1984) p. 34.
- [17] RSIC Peripheral Shielding Routine Collection: NJOY 94.10, Code System for Producing Pointwise and Multigroup Neutron and Photon Sections from ENDF/B Data, PRS-355, NJOY code.
- [18] The 1994 ENDF Pre-Processing Codes «Pre-Pro94» by D. E. Cullen, IAEA-NDS-39 (1994).
- [19] PFENNIG, G., KLEWE-NEBENIUS, H., SEELMAN-EGGEBERT, W., KARLSRUHER NUKLIDKARTE (November 1995).